



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Monroe County are stored on microfilm Reel 4658 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 7 N

R 2 W



Township N°VI North, Range N°II West of 2nd Meridian.

Surveyed by Arthur Hearie 1855.

Description of the Soil on the interior Sectional lines.

Description of the Soil in the			Between Sections	Between Sections	Between Sections
Between Sections	Quality &c.		Between Sections		Between Sections
35.36	Land Hilly - Timber Beech, Sugar Oak & Hickory	33.34	Land Hilly - Timber Oak & Hickory	31.32	Land Level & Brushy - Timber Oak & Hickory
35.36	ditto	27.24	ditto	29.32	ditto
35.36	ditto	27.28	ditto	29.30	Land Rolling & Rich - Timber Sugar, Poplar, Oak
35.36	ditto	22.24	ditto	29.20	ditto
35.36	ditto	21.22	ditto	19.20	ditto
35.36	Land Rolling - Timber Oak, Ash & Hickory	15.22	Land Level & Brushy - Timber Oak & Hickory	17.20	ditto
35.36	ditto	15.16	ditto	17.18	ditto
35.36	Rolling thin Soil - Timber Oak & Poplar	10.15		7.8	ditto
35.36	ditto	9.10		5.8	ditto
35.36	ditto	3.10		5.6	ditto
35.36	ditto	3.4		6.7	ditto
35.36	ditto	22.33		7.18	ditto
35.36	ditto	25.33		18.19	ditto
35.36	ditto	25.29		19.20	ditto
35.36	ditto	21.25		20.21	ditto
35.36	ditto	20.21		8.17	ditto
35.36	ditto	16.21			
35.36	ditto	16.17			
35.36	ditto	9.15			
35.36	ditto	8.7			
35.36	ditto	7.1			

South Boundary

A 19

West On the South Boundary of sec. 36. T. 7 N. R. 2 W.
 24.75 To a Walnut 30 in dia. in the me.
 40.00 To a M Oak 36 in dia. stands for the cor of 36 sec.
 65.00 To a Sugar 18 in dia. in the me.
 80.00 Set a post for the cor of sec. 35 & 36 from which,
 Buck 16 in dia. bears S 55 N 3 E 1/4 mile, 13
 L. 16 " " " N 65 E 1/4 " "
 Soud. rich Timber Sugar, Walnut, Ash, Buck, &c.

West On the South Boundary of sec. 35 T. 7 N. R. 2 W.
 40.00 Set a post from which,
 Sugar 8 in dia. bears N 56 W. 5 1/4 mile, 12,
 L. 10 " " " S 86 E 2 1/4 " "
 69.00 To a M Oak 18 in dia. in the me.
 80.00 To a M Oak 24 in dia. stands for the cor of sec. 34 & 35.
 Soud. and Timber same as last mile. April 2, 1871

West On a ~~Revised~~ South Boundary of sec. 34 T. 7 N. R. 2 W.
 33.50 To an R. Oak 30 in dia. in the me.
 40.00 Set a post from which,
 Buck 30 in dia. bears S 57 E. 12 1/4 mile, 12,
 L. 20 " " " N 27 W. 14 " "
 65.00 To a Birch 6 1/2 mile, Soud. S. W.
 80.00 Set a post for the cor of sec. 33 & 34 from which,
 M Oak 18 in dia. bears S 35 W. 31 1/4 mile, 12,
 Sugar 14 " " " N 65 E. 20 " "
 Soud. rich Timber Oak.

West On the South Boundary of sec. 33 T. 7 N. R. 2 W.
 15.00 To a Birch 10 mile, Soud. S.
 30.00 L. 4 " " " S 6
 40.00 Set a post from which,

Beck, 14 in diam. bears N 4 E 7 1/2 links dist. to
 Sugar 9 " " N 81 W 17 " "
 80.00 Set a post for the cor. of 32 & 33 from which
 Beck, 24 in diam. bears N 6 E 17 1/2 links dist. to
 Sugar 8 " " N 67 W 10 " "
 Land good and rich Timber Sugar, Beck & Oak

West On the South Boundary of cw 32 T. F. N. R. D. W.
 25.00 To a Spring corner S.
 37.00 " " 26 " " D. W.
 40.00 Set a post from which
 N Oak 16 in diam. bears N 43 E 19 links dist. to
 Beck 15 " " " S. 67 W 31 " "
 60.00 To a Beck 3 links wide; course S.
 80.00 Set a post for the cor. of 31 & 32 from which a
 Gum 15 in diam. bears S 87 W 25 links dist. to
 Beck 6 " " " N 84 E 31 " "
 Land good. Timber Oak & S.

West On the South Boundary of 31 T. F. N. R. D. W.
 20.00 To a Beck 3 links wide. Course S.
 25.00 " " Beck 18 in diam. in the line.
 40.00 Set a post from which a
 N Oak 24 in diam. bears S 50 E 25 links dist.
 to Walnut 20 " " " N 47 W 24 " "
 60.00 To a Spring Course S.
 80.00 Set the Emp. post for the cor. of T. 6 & 7 N. R. D. W.
 37.00 Went in search of the Range line; Travelled
 3 miles South & hunted but could not find it.
 Just at the present & returned to the cor. of
 T. 6 & 7 N. R. D. W. April 3. 1811.

East Boundary.

A21.

North On the East Boundary of cw 36 T. F. N. R. D. W.
 30.00 To a Large Spring to the East; corner N. E.
 6.00 To a Beck 3 links wide. corner E.
 30.00 To a No. 6 " "
 40.00 Set a post from which
 Beck 24 in diam. bears S 50 W 20 links dist. to
 Do. 26 " " " N 13 E 49 " "
 80.00 Set a post for the cor. of 25 & 36 from which
 Beck 18 in diam. bears N 85 W 18 links dist. to
 Do. 14 " " " S 8 E 37 " "
 Land pretty Timber Oak.

North On the East Boundary of cw 25 T. F. N. R. D. W.
 40.00 Set a post from which
 Buckeye 18 in diam. bears N 27 W 24 links dist. to
 Elm 18 " " " S 46 W 26 " "
 80.00 Set a post for the cor. of 24 & 25 from which
 Beck 18 in diam. bears N 19 W 11 links dist. to
 Log 18 " " " S 22 W 42 " "
 Land pretty Timber Oak.

North On the East Boundary of cw 24 T. F. N. R. D. W.
 30.00 To the mouth of a large creek facing the West
 under a timbering Eastward nearly straight &
 completely aced, on an average six feet high
 & seven feet wide. We measured 300 yds;
 it appeared to extend in the same direction to
 measure in size but for want of light we
 went no farther; There is a fresh water spring
 running from it.
 40.00 Set a post from which
 Beck 18 in diam. bears N 86 E 11 links dist. to
 Do. 18 " " " S 86 W 21 " "

T. N. F. A. R. N. 2nd M. Ind.

43.00 To a Brook 15 miles wide, Come E.
 60.75 " " Sugar. 24 in dia. in the mi.
 78.50 To a Brook 15 miles wide, Come E.
 80.00 Set apart for the co of sw. 13 & 24 on the Bank of
 a Brook from white.
 Sugar. 12 in dia. beam. N 29 E 7 miles east, to
 Elm. 18 " " " N 63 W. 31 " "
 Land with; Timber Oak Elm Sugar Walnut &c.

North On the East Boundary of sw. 13. T. 7. N. 2nd M.
 40.00 Set apart from white.
 Sugar. 14 in dia. beam. N 55 E. 10 miles east, to
 Do 16 " " " N 55 W. 15 " "
 55.00 To a Brook 150 miles wide, Come E.
 66.00 " " Sugar. 12 in dia. in the mi.
 73.00 To a Brook - No mile, Come E.
 80.00 Set apart for the co of sw. 12 & 23 from white.
 Beam. 16 in dia. beam. N 55 E. 17 miles east, to
 Do. 16 " " " N 80 W. 24 " "
 Land with good mile seats; well timbered.

North On the East Boundary of sw. 12. T. 7. N. 2nd M.
 15.00 To a Brook - No mile, Come E.
 22.00 " " Do. - " " " " E.
 34.00 " " Do. 20 " " " " W.
 40.00 Set apart from white.
 Beam. 36 in dia. beam. N 15 E. 14 miles east, to
 Do. 24 " " " N 5 E. 31 " "
 47.00 To a Brook - No mile, Come E.
 47.00 " " Do. - " " " " E.
 80.00 Set apart for the co of sw. 1 & 12 from white.
 Beam. 16 in dia. beam. N 71 W. 14 miles east, to
 Sugar 6 " " " N 83 E. 19 " "

T. N. F. A. R. N. 2nd M. Ind.

Land & timber same as last mile.

North On the East Boundary of sw. 1. T. 7. N. 2nd M.
 10.00 To a Brook - No mile, Come E.
 30.00 To a Brook 18 in dia. in the mi.
 35.00 To a Edge of Rocks
 40.00 Set apart from white.
 Beam. 18 in dia. beam. N 82 E. 13 miles east, to
 Elm. 18 " " " N 10 W. 25 " "
 60.00 To a Spring Come E.
 77.00 Fall 150 miles West of the post set by James
 Hylis & moved it to the intersection for the co of
 T. 7 & 8 N. 1 & 2 W. from white.
 Beam. 12 in dia. beam. N 73 W. 12 miles east, to
 W Oak 30 " " " N 40 E. 23 " "
 Land good Timber Sugar Beam &c.

North Boundary.
 West On the South Boundary of sw. 36. T. 8. N. 2nd M.
 40.00 Set apart from white.
 Sugar 18 in dia. beam. N 63 E. 16 miles east, to
 Sugar. 12 " " " N 44 W. 16 " "
 43.00 To a Brook 3 miles wide, Come N.
 44.25 To a Brook. 24 in dia. in the mi.
 80.00 Set apart for the co of sw. 35 & 36 from white.
 Beam. 5 in dia. beam. N 22 E. 10 miles east, to
 Do. 12 " " " N 35 W. 15 " "
 Land good Timber Beam Sugar Oak &c.

West On the South Boundary of sw. 35. T. 8. N. 2nd M.
 40.00 Set apart from white.
 Beam. 15 in dia. beam. N 18 E. 13 miles east, to
 Do. 16 " " " N 85 W. 13 " "

T. N. of N. R. N. of D. W. D. M. Ind.

69.75 To a sugar 16 in dia. in the tree
 80.00 Set apart for the care of sw. 34 1/2 from white,
 Sugar 12 in dia. trees. Sunk 17 1/2 mts. to,
 Mulberry 8 " " " N 54 W. 34 " "
 Stand with Herb. Timber Sugar, Beech Poplar

West On the South Boundary of sw. 34 T. 8. N. R. 2 W.
 32.50 To a Beech 12 in dia. in the tree.
 40.00 Set apart for the care of white,
 Hickory 20 in dia. trees N 68 E. 34 mts. each to,
 Do. 18 " " " N 87 W. 25 " "
 69.75 To a Hickory 12 in dia. in the tree.
 80.00 Set apart for the care of sw. 33 1/2 from white,
 Hickory 15 in dia. trees N 74 E. 16 mts. each to,
 Do. 14 " " " N 14 W. 20 " "
 Stand 8 timber same as last mts.

West On the South Boundary of sw. 33 T. 8. N. R. 2 W.
 34.50 To a W Oak 30 in dia. in the tree.
 40.00 Set apart for the care of white,
 Hickory 12 in dia. trees. N 54 W. 30 mts. each to,
 W Oak 18 " " " N 79 E. 43 " "
 46.00 To a Beech 3 mts. mid. corner N.
 80.00 Set apart for the care of sw. 32 1/2 from white,
 Gum 12 in dia. trees N 57 E. 18 mts. each to,
 Hickory 16 " " " N 33 W. 19 " "
 Land good Timber Oak,

West On the South Boundary of sw. 32 T. 8. N. R. 2 W.
 28.50 To a Poplar. 28 in dia. in the tree.
 40.00 Set apart for the care of white,
 Log run 6 in dia. trees N 84 E. 31 mts. each
 To Sugar 12 " " " West 24 " "

T. N. of N. R. N. of D. W. D. M. Ind.

80.00 Set apart for the care of sw. 31 1/2 from white,
 Sugar 16 in dia. trees N 49 E. 23 mts. each to,
 Beech 16 " " " N 49 W. 23 " "
 Good Oak Land.

West On the South Boundary of sw. 31 T. 8. N. R. 2 W.
 17.00 To a Beech 3 mts. mid. corner S.
 40.00 Set apart for the care of white,
 Sugar 14 in dia. trees N 76 W. 13 mts. each to,
 Walnut 8 " " " N 55 E. 20 " "
 50.00 To a Beech 11 mts. mid. corner S E.
 77.00 " " Do 3 " " " " N.
 80.00 Set apart for the care of sw. 16, 31 1/2.
 T. 788 N. R. 213 W. April 5. 1811
 Good land Timber Sugar Oak & Poplar.

West Boundary

A31

North On the East Boundary of sw. 36 T. 7. N. R. 3 W.
 35.50 To a Poplar. 36 in dia. in the tree.
 40.00 Set apart for the care of white,
 Beech 8 in dia. trees N 42 W. 12 mts. each to,
 Sugar 8 " " " N 27 W. 16 " "
 79.50 To a Beech 10 mts. corner W.
 80.00 Set apart for the care of sw. 25 1/2 from white,
 Beech 16 in dia. trees N 71 W. 12 mts. each to,
 W Oak 30 " " " N 80 E. 10 " "
 Land. Hillij Timber Oak,

North On the East Boundary of sw. 25 T. 7. N. R. 3 W.
 22.00 To a Beech 7 mts. mid. corner SW.
 40.00 Set apart for the care of white,
 Beech 24 in dia. trees N 33 E. 20 mts. each to,
 Do 14 " " " N 83 W. 23 " "

80.00 Set apart for the cor of sw. 24 & 25 from white,
Beck 18 in dia: beam S 56 E 12 mts dist; to
Sugar 6 " " " N 75 W 14 " "
Good lands; Timber Oak Sugar &c.

North On the East Boundary of sw. 24, T. 7. N. R. 3 W.

8.00 To a Brook 3 mts wide, corner S. E.

40.00 Set apart for the cor of sw. 24 & 25 from white,
Sugar 5 in dia: beam S 30 E 25 mts dist; to
Do. 6 " " " N 12 W 15 " "

56.00 To a Brook 3 mts wide, corner W.

76.00 " " " " " " " "

80.00 Set apart for the cor of sw. 13 & 24 from white,
Beck 30 in dia: beam S 48 W 12 mts dist; to
Beck 8 " " " " S 56 E 8 " "
Land good Timber Beck, Sugar, Oak,

North On the East Boundary of sw. 13, T. 7. N. R. 3 W.

15.00 To a Brook 10 mts wide, corner W.

17.00 " " Sugar 10 in dia: beam S 56 E 8 " "

40.00 Set apart for the cor of sw. 13 & 24 from white,
Beck 16 in dia: beam S 112 E 9 mts dist; to
W. Oak 15 " " " " S 12 E 31 " "

80.00 Set apart for the cor of sw. 12 & 13 from white,
Stick 10 in dia: beam S 36 E 17 mts dist; to
Sugar 12 " " " " N 32 W 17 " "
Land good Timber Sugar Beck & Oak,

North On the East Boundary of sw. 12, T. 7. N. R. 3 W.

25.00 To a Brook 50 mts wide, corner S. W.

40.00 Set apart for the cor of sw. 12 & 13 from white,
Beck 16 in dia: beam S 69 E 12 mts dist; to
Sugar 14 " " " " S 7 W 24 " "

46.00 To a Brook 10 mts wide, corner E.

80.00 Set apart for the cor of sw. 13 & 12 from white,
Sugar 6 in dia: beam S 58 W 19 mts dist; to
Oak 14 " " " " S 80 E 31 " "
Land and timber same as last mts.

North On the East Boundary of sw. 1, T. 7. N. R. 3 W.

6.00 To a spring corner E.

9.00 " " Brook 5 mts wide, corner S. E.

40.00 Set apart for the cor of sw. 13 & 24 from white,
Beck 12 in dia: beam S 83 W 3 mts dist; to
Poplar 18 " " " " S 83 E 27 " "

50.00 To a Brook 6 mts wide, corner E.

78.50 Taken out the S. P. Line 13.50 mts East of the
corner just and set apart for the cor of sw. 1 & 2
136 T. 7. N. R. 3 W. from white.

Do not work 6 in dia: beam S 5 E 17 mts dist; to
Maple 18 " " " " N 39 E 31 " "
Land good Timber Sugar Beck & Oak,

Amorized by
April 9. 1811 The Holmes Ld.

Subdivisions,

North Return sw. 35 & 36, T. 7. N. R. 2 W.

40.00 Set apart for the cor of sw. 13 & 24 from white,
Stick 10 in dia: beam S 37 W 96 mts dist; to
Sugar 18 " " " " S 7 E 133 " "

80.00 Set apart for the cor of sw. 25, 26, 35 & 36 from white,
Stick 12 in dia: beam S 52 E 25 mts dist; to
Do. 10 " " " " S 38 W 39 " "

Land Hilly Timber Beck, Sugar, Oak, & Hick,

East On a Random line between sw. 25 & 36, T. 7. N. R. 2 W.

- 40,00 Let a trip to report
 80,00 Enter at the East Boundary 24 miles South of the
 first camp of sw. 25 & 36. Same to some as last mile.
- West On the line between Sw. 25 & 36. T. N. F. N. R. D. M.
 40,00 Let the trip to report at the on dish on the line
 from which, Buck 3 in dia. beam. S42 E. 7 1/2 m. dist.
 and a Sugar 8 " " S56 N. 2 " "
 80,00 to the first camp of sw. 25, 26 & 35 & 36.

- North Return Sw. 25 & 36 T. N. F. N. R. D. M.
 40,00 Let a trip to report from which
 Buck 5 in dia. beam. N77 E. 9 m. dist. ca.
 Do. 12 " " S39 N. 12 " "
 80,00 Let a trip for the first for the camp of sw. 23, 24 & 25,
 & 26 from which
 Sugar. 10 in dia. beam. N46 E. 31 m. dist. ca.
 Buck 12 " " N54 N. 36 " "
 Same to some.

- East On a Random line between Sw. 24 & 25 T. N. F. N. R. D. M.
 34,00 Top Rock 12 miles from corner N.E.
 40,00 Let a trip to report
 80,00 Enter at the N.E. line, 30 miles South of the first
 camp of sw. 24 & 25. Same to the same.
- West On the line between Sw. 24 & 25 T. N. F. N. R. D. M.
 40,00 Let the trip to report at the on dish on the line
 from which, Sugar, 2 in dia. beam. S51 E. 11 m. dist.
 and a Buck 8 " " N26 N. 14 " "
 80,00 to the first camp of sw. 23, 24 & 25 & 26.

- North Return Sw. 23 & 24 T. N. F. N. R. D. M.
 40,00 Let a trip to report from which
 Buck 15 in dia. beam. S5 E. 24 m. dist. ca.
 Do. 10 " " N19 N. 15 " "
 80,00 Let a trip for the camp of sw. 13, 14, 23, & 24 from which
 a Sugar 10 in dia. beam. N42 E. 17 1/2 m. dist. ca.
 Do. 3 " " S53 N. 20 " "
 Sand rolling Timber ash, Oak, & Hick

- East On a Random line between Sw. 13 & 24 T. N. F. N. R. D. M.
 40,00 Let a trip to report
 75,00 Top Rock 100 miles from the first & running
 East.
 80,00 Enter at the East Boundary 18 miles South of the
 first camp of Sw. 13 & 24. Same to the same.
- West On the line between Sw. 13 & 24 T. N. F. N. R. D. M.
 40,00 Let the trip to report at the on dish on the line
 from which, Buck 12 in dia. beam. N17 N. 17 1/2 m. dist.
 and a Buck 15 " " N77 E. 37 " "
 80,00 to the first camp of sw. 13, 14, 23 & 24

- North Return Sw. 13 & 24 T. N. F. N. R. D. M.
 16,00 Top Rock 10 miles from corner
 18,25 Top a Poplar 36 in dia. in the line.
 40,00 Let a trip to report from which
 Sugar 12 in dia. beam. S5 E. 10 m. dist. ca.
 Buck 12 " " N55 N. 19 " "
 80,00 Let a trip for the camp of sw. 11, 12 & 13 from which
 Buck 5 in dia. beam. S56 N. 14 m. dist. ca.
 Sugar 8 " " N9 E. 17 " "
 Sand rolling Thin soil, Timber Oak, Poplar, &c.

J. N. T. A. R. N. I. J. W. D. M. Ind.

Beck 10 in dist. time S 27 N. 14 1/2 m. dist; 7 a.
 40.00 Let a post for the cargo. 2, 3, 10 & 11 from which
 Beck 10 in dist. time N 33 W. 15 1/2 m. dist; 7 a.
 Hick 10 1/2 " " N 71 E. 17 " "
 Same the same.

East On a Roman line between Jan 27 1834 J. N. T. A. R. N. I. J. W. D. M. Ind.
 40.00 Let a trip to sea post.
 7860 Let out the N 15 line 112 knots South of the post
 cargo. 1, 2, 11 & 12 Same the same.

West On the line between Jan 27 1834 J. N. T. A. R. N. I. J. W. D. M. Ind.
 39.30 Let the trip to sea post at the on coast on the line
 from which Beck 3 in dist. time S 27 N. 14 1/2 m. dist
 40.00 Let the cargo. 2, 3, 10 & 11
 7860 Let the cargo. 2, 3, 10 & 11

North Return Jan 27 1834 J. N. T. A. R. N. I. J. W. D. M. Ind.
 40.00 Let a trip to sea post from which
 Beck 20 in dist. time S 68 E. 19 1/2 m. dist; 7 a.
 40.12 Let a trip to sea post from which
 79.50 Let out the N 15 line 93 knots East of the
 post cargo. 34 & 35 J. N. T. A. R. N. I. J. W. D. M. Ind. and set a
 1 1/2 " " 2 1/2 from which
 Mulberry 7 in dist. time S 81 W. 16 1/2 m. dist; 7 a.
 Hognord 3 " " S 46 E. 18 " "
 Same the same.

North Return Jan 27 1834 J. N. T. A. R. N. I. J. W. D. M. Ind.
 40.00 Let a trip to sea post from which
 Sugar 10 in dist. time N 24 E. 19 1/2 m. dist; 7 a.
 40.00 Let a trip to sea post from which
 79.50 Let out the N 15 line 93 knots East of the
 post cargo. 34 & 35 J. N. T. A. R. N. I. J. W. D. M. Ind. and set a
 1 1/2 " " 2 1/2 from which
 Mulberry 7 in dist. time S 81 W. 16 1/2 m. dist; 7 a.
 Hognord 3 " " S 46 E. 18 " "
 Same the same.

J. N. T. A. R. N. I. J. W. D. M. Ind.

71.00 Let a trip to sea post from which
 80.00 Let a post for the cargo. 2, 3, 10 & 11 from which
 a Beck 10 in dist. time N 18 E. 14 1/2 m. dist; 7 a.
 40.00 Let a trip to sea post from which
 79.50 Let out the N 15 line 93 knots East of the
 post cargo. 34 & 35 J. N. T. A. R. N. I. J. W. D. M. Ind. and set a
 1 1/2 " " 2 1/2 from which
 Mulberry 7 in dist. time S 81 W. 16 1/2 m. dist; 7 a.
 Hognord 3 " " S 46 E. 18 " "
 Same the same.

East On a Roman line between Jan 27 1834 J. N. T. A. R. N. I. J. W. D. M. Ind.
 40.00 Let a trip to sea post.
 80.18 Let out the N 15 line at the post cargo. 26
 27, 34 & 35 Same the same.

West Return Jan 27 1834 On the line between Jan 27 1834 J. N. T. A. R. N. I. J. W. D. M. Ind.
 40.09 Let the trip to sea post at the on coast on the line
 from which Beck 20 in dist. time S 68 E. 19 1/2 m. dist; 7 a.
 40.12 Let a trip to sea post from which
 79.50 Let out the N 15 line 93 knots East of the
 post cargo. 34 & 35 J. N. T. A. R. N. I. J. W. D. M. Ind. and set a
 1 1/2 " " 2 1/2 from which
 Mulberry 7 in dist. time S 81 W. 16 1/2 m. dist; 7 a.
 Hognord 3 " " S 46 E. 18 " "
 Same the same.

North Return Jan 27 1834 J. N. T. A. R. N. I. J. W. D. M. Ind.
 40.00 Let a trip to sea post from which
 Sugar 10 in dist. time N 24 E. 19 1/2 m. dist; 7 a.
 40.00 Let a trip to sea post from which
 79.50 Let out the N 15 line 93 knots East of the
 post cargo. 34 & 35 J. N. T. A. R. N. I. J. W. D. M. Ind. and set a
 1 1/2 " " 2 1/2 from which
 Mulberry 7 in dist. time S 81 W. 16 1/2 m. dist; 7 a.
 Hognord 3 " " S 46 E. 18 " "
 Same the same.

East On a Roman line between Jan 27 1834 J. N. T. A. R. N. I. J. W. D. M. Ind.
 40.00 Let a trip to sea post.
 80.00 Let out the N 15 line at the post cargo. 26
 27, 34 & 35 Same the same.

I No 7. A R. N: 27 2nd Mm. Ind.

cut of ear 22, 23, 26 & 27. Same as the same

West On the line between ear 22 & 27. I. F. A. R. 27.
40,00 Set the trap for ear post at the ar. ash on the line from
whisker, Sugar. 10 in dist. from A 88 E. 44 W. dist.
and a Dogwood 3. " " E 37 W. 18. "
80,00 To the post ear of ear 21, 22, 27 & 28.

North Between ear 21 & 23 I. F. A. R. 27.

40,00 Set a trap for ear post from which,
Maple. 10 in dist. from E 32 W. 15. "
Buck. 10 " " " A 42 W. 15. "
80,00 Set apart for the ear post 15, 16, 21 & 22 from
whisker, Sugar 12 in dist. from E 8 E. 28 W. dist.
and a Do. 10 " " " A 38 W. 5. "
Same the same.

East On a line from ear between ear 15 & 23. I. F. A. R. 27.

40,00 Set a trap for ear post
79,50 Set out the A 13 line 29 m. South of the
post ear of ear 14, 15, 23 & 23. Same as the 8
liney. Same as the 8
liney. Same as the 8

West On the line between ear 15 & 23 I. F. A. R. 27.

39,78 Set the trap for ear post at the ar. ash on the line from
whisker, Dogwood 3 in dist. from E 26 W. 8
liney, dist; 10 Black. 18 " " " A 10 W. 19 W. dist.
79,50 To the post ear of ear 15, 16, 21 & 22.

North Between ear 15 & 16 I. F. A. R. 27.

40,00 Set a trap for ear post from which,
Buck. 18 in dist. from A 24 E. 9 W. dist; 10
Sugar. 8 " " " A 45 W. 24. "

I No 7. A R. N: 27 2nd Mm. Ind.

80,00 Set apart for the ear post 9, 10, 15 & 16 from which,
W. Walnut. 10 in dist. from A 70 W. 10 W. dist; 10
Sugar. 10 " " " A 39 E. 11 " "
Same the same as last m. m.

East On a line from ear between ear 10 & 15. I. F. A. R. 27.

40,00 Set a trap for ear post.
79,58 Set out the A 13 line 50 m. North of the post
ear of ear 10, 11, 14 & 15. Same as the same.

West On the line between ear 10 & 15 I. F. A. R. 27.

39,79 Set the trap for ear post at the ar. ash on the line from
whisker, Sugar. 12 in dist. from A 45 E. 28 W. dist.
and a Dogwood 4 " " " E 47 W. 16. "
79,58 To the post ear of ear 9, 10, 15 & 16.

North Between ear 9 & 10 I. F. A. R. 27.

40,00 Set a trap for ear post from which,
Cherry. 4 in dist. from A 8 E. 11 W. dist; 10
Poplar. 6 " " " A 10 W. 16. "
80,00 Set apart for the ear of ear 3, 10, 9 & 10 from which,
W. Oak. 30 in dist. from E 76 E. 21 W. dist; 10
W. Oak. 20 " " " West. 20 " "
Same the same.

East On the line between ear 3 & 10. I. F. A. R. 27.

40,00 Set a trap for ear post.
79,97 Set out the A 13 line 110 m. dist. North of the
post ear of ear 2, 3, 10 & 11 Same the same.

West On the line between ear 3 & 10 I. F. A. R. 27.

39,98 Set the trap for ear post at the ar. ash on the line from
whisker, W. Oak. 15 in dist. from A 10 E. 21 W. dist

T. 7. N. R. 2. W. 2. M. S. 1.

W Oak 14 in diam bears ——— Mk. met.
79.97 Set a post on of cor 3. 4. 9. 10.

North Return Sec 3 & 4. T. 7. N. R. 2. W.
40.00 Set a post for the cor. of 1/4 Sec. from which a
Maple 18 in diam bears S 13 E. 38 W. dist. 12
Hick 4 " " S 35 W. 11 " "
79.44 Intersect the N. Boundary 238 links East of the
post cor of sec 3 & 4. T. 7. N. R. 2. W. and set
a post " " 344 from which
Hick 8 in diam bears N 84 W. 20 W. dist. 12
W Oak 12 " " N 23 " "
Land & Timber the same.

North Return Sec 3 & 4. T. 7. N. R. 2. W.
40.00 Set a post for the cor. of 1/4 Sec. from which a
Maple 18 in diam bears S 13 E. 14 W. dist. 12
Buck 6 " " N 76 W. 13 " "
80.00 Set a post for the cor. of sec 3 & 4 from which
Buck 10 in diam bears N 9 E. 3 links dist. 12
Hogwood 8 " " S 7 E. 35 " "
Land the same.

East On a Random line between Sec. 28 & 33 T. 7. N. R. 2. W.
40.00 Set a temp. post.
80.16 Intersect the N. Boundary 17 links South of the post cor
of sec 27 28 33 & 34 Land the same

West On the True line between Sec. 28 & 33 T. 7. N. R. 2. W.
40.08 Set the temp. post at the ar. dist. on the true line
from which Sugar 10 in diam bears S 60 E. 9 links dist.
under Buck 4 " " N 46 E. 11 " "
80.16 To the cor of sec 28, 29, 32 & 33

T. 7. N. R. 2. W. 2. M. S. 1.

North Between Sec. 28 & 29 T. 7. N. R. 2. W.
40.00 Set a post for the cor. of 1/4 Sec. from which a
Buck 13 in diam bears N 59 E. 37 links dist. 12
Buck 10 " " S 47 E. 11 " "
80.00 Set a post for the cor. of Sec. 20, 21, 28 & 29 from which
a Buck 8 in diam bears S 48 W. 15 links dist. 12
No. 15 " " N 13 W. 31 " "
Land & Timber same as last mile.

East On a Random line between Sec. 21 & 28 T. 7. N. R. 2. W.
40.00 Set a temp. post for the cor. of 1/4 Sec.
80.00 Intersect the S. & T. line 70 links S. of the post
cor. of Sec. 21, 22, 27 & 28.
Land and timber same as last mile.

West On the True line between Sec. 21 & 28 T. 7. N. R. 2. W.
40.00 Set the temp. post at the ar. dist. on the true line
for the cor. of 1/4 Sec. from which a
Sugar 12 in diam bears S 38 W. 7 links dist. 12
No. 10 " " S 14 E. 17 " "
80.00 To the post cor. of Sec. 20, 21, 28 & 29.

North Between Sec. 20 & 31 T. 7. N. R. 2. W.
17.30 To a Brook 15 links wide. Course W.
40.00 Set the 1/4 Sec. post from which a
Hickory 15 in diam bears S 88 E. 39 links dist. 12
Sugar 5 " " N 88 W. 19
80.00 Set a post for the cor. of Sec. 16, 17, 20 & 21 from which
an Elm 15 in diam bears N 87 E. 41 links dist. 12
W Oak 30 " " S 17 W. 20 " "
Land & Timber same as on the last mile.

East On a Random line between Sec. 16 & 21 T. 7. N. R. 2. W.

T. A. 7. A. C. A. 2. W. 2nd Mer. Ind.

31.00 To a Brook 10 links wide; Course S.
 40.00 Set a temp^o post for the cor. of 1/4 Sec.
 50.00 Intersect the A. & S. line 12 links North of the
 post cor. of Sec. 15 16 21 & 22.
 Land & Timber same as before.

West On the true line between Sec. 16 & 21. T. 7. S. R. 2 W.
 40.00 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the
 true line from which a
 Sugar 12 in diam. bears S. 73. W. 4 links dist. &
 No. 4. " " S. 39. E. 12. "
 80.00 To the post for the cor. of Sec. 16. 17. 20 & 21.

North Between Sec. 16 & 17. T. 7. S. R. 2 W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 W. Oak 18 in diam. bears S. 30. E. 15 links dist. &
 Buck 4. " " N 65. W. 25. "
 80.00 Set a post for the cor. of Sec. 8. 9. 16 & 17 from which
 W. Oak 18 in diam. bears N 81. E. 15 links dist. &
 Dogwood 3. " " S. 41. W. 14. "
 Land and Timber same as last mile.

East On a Random line between Sec. 9 & 16. T. 7. S. R. 2 W.
 40.00 Set a temp^o post for the cor. of 1/4 Sec.
 80.12 Intersect the A. & S. line 48 links South of the
 post cor. of Sec. 9. 10. 13 & 16.
 Land and Timber same as on the last mile.

West On the true line between Sec. 9 & 16. T. 7. S. R. 2 W.
 40.00 Set the post for the cor. of 1/4 Sec. at the av. dist.
 on the true line from which a
 Buck 10 in diam. bears N 45. E. 18 links dist. &
 W. Oak 15. " " S. 22. W. 28. "

T. A. 7. A. C. A. 2. W. 2nd Mer. Ind.

80.12 To the post cor. of Sec. 8 & 9. 16 & 17.

North Between Sec. 8 & 9. T. 7. S. R. 2 W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Maple 10 in diam. bears S. 20. E. 26 links dist. &
 Gum 8. " " N 66. E. 33. "
 80.77 Set a post for the cor. of Sec. 4. 5 & 19. from which a
 Gum 3 in diam. bears S. 45. W. 9 links dist. &
 No. 10. " " S. 11. E. 13. "
 Land & Timber same as before.

East On a Random line between Sec. 4 & 9. T. 7. S. R. 2 W.
 40.00 Set a temp^o post for the cor. of 1/4 Sec.
 80.00 Intersect the A. & S. line 37 links North of the post
 cor. of Sec. 3. 4. 9 & 10. Land same as last mile.

West On the true line between Sec. 4 & 9. T. 7. S. R. 2 W.
 40.00 Set the post for the cor. of 1/4 Sec. at the aver. dist. on the
 true line from which a
 W. Oak 20 in diam. bears N. 42. W. 25 links dist. &
 Poplar 10. " " S. 18. W. 30. "
 80.00 To the post cor. of Sec. 4. 5. 8 & 9.

North Between Sec. 4 & 5. T. 7. S. R. 2 W.
 22.00 To a Lymn 18 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Maple 15 in diam. bears S. 26. W. 9 links dist. &
 W. Oak 24. " " N. 40. W. 24. "
 80.05 Intersect the N. Boundary 1.75 links East of the
 post cor. of Sec. 3. 3 T. 8. S. R. 2 W. Set a post
 for the cor. of Sec. 4 & 5. from which a
 Gum 15 in diam. bears N 65. E. 33 links dist. &
 Hickory 15. " " S. 88. W. 58. "

T. N. 7. S. R. 2. W. 2nd Mer. Ind.

31.00 To a Buck 10 links wide, course S.
 45.00 Set a temp^l post for the cor. of 1/4 Sec.
 80.00 Intersect the N. & S. line 12 links North of the
 post cor. of Sec. 15 16 21 & 22.
 Land & Timber same as before.

West On the True line between Sec. 16 & 21. T. 7. S. R. 2. W.
 41.00 Set a post for the cor. of 1/4 Sec. at the aver. dist. on the
 true line from which a
 Sugar 12 in diam. bears S. 73. W. 4 links dist. S.
 Sp. 4 " " " S. 39. E. 12. " "
 80.00 To the post for the cor. of Sec. 16. 17. 20 & 21.

North Between Sec. 16 & 17. T. 7. S. R. 2. W.
 41.00 Set a post for the cor. of 1/4 Sec. from which a
 W. Oak 18 in diam. bears S. 30. E. 15 links dist. S.
 Buck 4. " " " S. 65. W. 25. " "
 80.00 Set a post for the cor. of Sec. 8. 9. 16 & 17 from which
 a W. Oak 18 in diam. bears N. 81. E. 15 links dist. S.
 Sugarwood 3. " " " S. 41. W. 14. " "
 Land and Timber same as last mile.

East On a Random line between Sec. 9 & 16. T. 7. S. R. 2. W.
 45.00 Set a temp^l post for the cor. of 1/4 Sec.
 80.12 Intersect the N. & S. line 48 links South of the
 post cor. of Sec. 9. 10. 15 & 16.
 Land and Timber same as on the last mile.

West On the True line between Sec. 9 & 16. T. 7. S. R. 2. W.
 40.00 To the post for the cor. of 1/4 Sec. at the av. dist.
 on the true line from which a
 Buck 10 in diam. bears N. 45. E. 18 links dist. S.
 W. Oak 15. " " " S. 22. W. 28. " "

T. N. 7. S. R. 2. W. 2nd Mer. Ind.

80.12 To the post cor. of Sec. 8 9 16 & 17.

North Between Sec. 8 & 9. T. 7. S. R. 2. W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Maple 10 in diam. bears S. 26. E. 36 links dist. S.
 Gum 3. " " " S. 66. E. 25. " "
 80.00 Set a post for the cor. of Sec. 4. 5. 8 & 9. from which a
 Gum 3 in diam. bears S. 45. W. 9 links dist. S.
 Lb. 10. " " " S. 61. E. 12. " "
 Land & Timber same as before.

East On a Random line between Sec. 4 & 9. T. 7. S. R. 2. W.
 41.00 Set a temp^l post for the cor. of 1/4 Sec.
 80.00 Intersect the N. & S. line 37 links North of the post
 cor. of Sec. 3. 4. 9 & 10. Land same as last mile.

West On the True line between Sec. 4 & 9. T. 7. S. R. 2. W.
 40.00 Set the post for the cor. of 1/4 Sec. at the aver. dist. on the
 true line from which a
 W. Oak 20 in diam. bears N. 42. W. 25 links dist. S.
 Poplar 10. " " " S. 18. W. 30. " "
 80.00 To the post cor. of Sec. 4. 5. 8 & 9.

North Between Sec. 4 & 5. T. 7. S. R. 2. W.
 22.00 To a Lym 18 in diam. in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Maple 15 in diam. bears S. 26. W. 9 links dist. S.
 W. Oak 24. " " " N. 40. W. 24. " "
 80.05 Intersect the N. Boundary 1.75 links East of the
 post cor. of Sec. 3. 3 T. 8. S. R. 2. W. Set a post
 for the cor. of Sec. 4 & 5. from which a
 Gum 15 in diam. bears N. 65. E. 33 links dist. S.
 Hickory 15. " " " S. 88. W. 58. " "

Land and Timber same as on the last mile.

North
40.00 Between Sec. 31. & 32. T. 7. N. R. 2. W.
Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
W. Oak 24. in diam. bears N. 26. E. 13 links dist.
a Birch " " " S. 21. W. 13. " "

80.00 Set a post for the cor. of Sec. 29. 30. 31. & 32. from
which a Birch 6. in diam. bears S. 59. E. 17. links dist.
and a Gum 10. " " " S. 20. E. 16. " "
Land & Timber same as last mile.

East
40.00 On a Random line between Sec. 29. & 32. T. 7. N. R. 2. W.
Set a temp. post for the cor. of $\frac{1}{4}$ Sec.
80.12 Intersect the N. & S. line 12. links South of the
post cor. of Sec. 28. 29. 32. & 33.
Land and Timber same as on the last mile.

West
40.06 On the True line between Sec. 29. & 32. T. 7. N. R. 2. W.
Set the post for the cor. of $\frac{1}{4}$ Sec. at the aver. dist.
on the True line from which a
Sugar 6. in diam. bears N. 48. E. 7. links dist. &
W. Oak 20. " " " N. 75. W. 24. " "
80.02 To the post cor. of Sec. 29. 30. 31. & 32.

North
40.00 Between Sec. 29. & 30. T. N. 7. N. R. 2. W.
Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
W. Oak 12. in diam. bears S. 40. W. 14. links dist. &
Birch 7. " " " S. 38. E. 5. " "

80.00 Set a post for the cor. of Sec. 19. 20. 29. & 30. from
which a Sugar 8. in diam. bears N. 35. E. 14. links dist.
and a Maple 15. " " " S. 33. E. 31. " "
Land Rolling. Soil rich. Timber Sugar,
Poplar & Oak.

East
40.00 On a Random line between Sec. 20. & 29. T. 7. N. R. 2. W.
Set the temp. post for the cor. of $\frac{1}{4}$ Sec.
80.00 Intersect the N. & S. line 12. links N. of the post cor.
of Sec. 20. 21. 28. & 29.
Land and Timber same as on the last mile.

West
40.00 On the True line between Sec. 20. & 29. T. 7. N. R. 2. W.
Set the post for the cor. of $\frac{1}{4}$ Sec. at the av. dist. on the
true line from which a
W. Oak 40. in diam. bears West 2. links dist. and a
80.00 To the post cor. of Sec. 19. 20. 29. & 30.

North
20.50 Between Sec. 19. & 20. T. 7. N. R. 2. W.
To a Birch 20. links wide Course S. W.
40.00 Set the post for the cor. of $\frac{1}{4}$ Sec. from which a
W. Oak 25. in diam. bears N. 15. E. 12. links dist. &
Birch 6. " " " S. 81. E. 18. " "
80.00 Set a post for the cor. of Sec. 17. 18. 19. & 20. from which
a Maple 8. in diam. bears S. 62. W. 3. links dist. &
Hickory 15. " " " S. 61. E. 31. " "
Land & Timber same as on the last mile

East
40.00 On a Random line between Sec. 17. & 20. T. 7. N. R. 2. W.
Set a temp. post for the cor. of $\frac{1}{4}$ Sec.
80.00 Intersect the N. & S. line 12. links North of the post
cor. of Sec. 16. 17. 20. & 21.
Land and Timber same as on the last mile.

West
40.00 On the True line between Sec. 17. & 20. T. 7. N. R. 2. W.
Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
Sugar 10. in diam. bears N. 53. W. 18. links dist. and a
Hickory 4. " " " S. 12. E. 30. " "
80.00 To the post cor. of Sec. 17. 18. 19. & 20.

T. N. R. N. 37 N. 2nd Mer. Ind.

West Return Sec. 30 & 31 T. N. R. 2 N.
 40.00 Set a new post from white,
 Nicks 8 in dia. bears S 82 E. 18 miles dist; ra,
 Dogwood Co. S 36 N. 14 1/2
 70.00 Intersect the West Boundary at the post cor. of sec 25 & 36.
 T. N. R. 3 N. Same the same.

West Return Sec. 18 & 19 T. N. R. 2 N.
 18.50 To a Brook 20 miles n. w. corner S. N.
 40.00 Set a new post from white,
 Sugar. 12 in dia. bears S 63 E. 14 miles dist; ra,
 Li. 4 " " " " S 49 N. 5 " "
 69.44 Intersect the West Boundary 121 miles North of
 the post cor. of sec 24 & 25 T. N. R. 3 N. and set a
 post for the cor. of sec 19 & 30 from white,
 Sugar. 9 in dia. bears S 69 E. 20 miles dist; ra,
 Elm. 5 " " " " S 32 E. 30 " "
 Same the same.

West Return Sec. 18 & 19 T. N. R. 3 N.
 40.00 Set a new post from white,
 Sugar 15 in dia. bears N 63 N. 7 miles dist; ra,
 Buck 50 " " " " S 84 N. 9 " "
 67.00 To a Spring, corner S. N.

Certify that the foregoing Transcript of the
 field notes of Township N. 7. North of Range
 N. 2 West 2nd Principal Meridian, in Ind.
 has been compared with the Original notes in this
 Office and found to be correct.

Surveyor General's Office,
 Cincinnati, Nov. 16 1841

Sur. General

70.54 Set a post on the West Boundary 60 miles South

T. N. R. N. 37 N. 2nd Mer. Ind.

of the post cor. of sec 13 & 24 T. N. R. N. 3 N. at a
 post for the cor. of sec 18 & 19 from white,
 Buck 35 in dia. bears N 26 E. 4 miles dist; ra,
 Buck 12 " " " " S 28 N. 30 " "
 Same the same.

West Return Sec. 7 & 18 T. N. R. 2 N.
 40.00 Set a new post from white,
 Buck 8 in dia. bears N 41 N. 14 miles dist; ra,
 Li. 5 " " " " S 60 E. 17 " "
 61.20 To a Sugar. 15 in dia. in the vine.
 70.73 A Sugar. 12 in dia. stands 53 miles South of the post
 cor. of sec 12 & 13 T. N. R. 3 N. for the cor. of sec
 7 & 18. Same the same.

Surveyed by
 Arthur Henric.
 Dep. Sur.

Comp.

Certify that the foregoing Transcript of the field
 notes of Township N. 7. North of Range N. 2 West
 of the 2nd Principal Meridian in Indiana has been
 compared with the Original notes in this Office & found
 to be correct.

Surveyor General's Office,
 Cincinnati, Nov. 16 1841.

Sur. General.

T. No. 7. N. R. No. 3rd M. 2nd Mer. Ind.

West Return Dec. 30 + 31 T. No. 7. N. R. 2nd M.
 40.00 Set a new post from which,
 Nicks 8 in dia. bears S 32 E. 18 links dist; or,
 Dogwood 6 " " S 36 W. 14 " "
 70.00 Intersect the West Boundary at the post cor. of sec. 25 + 36.
 T. No. 7. N. R. 3rd M. Same the same.

West Return Dec. 18 + 19 T. No. 7. N. R. 2nd M.
 18.50 To a brook 20 links away, corner S. W.
 40.00 Set a new post from which,
 Sugar. 12 in dia. bears S 63 E. 14 links dist; or,
 Ho. 4 " " N 49 W. 5 " "
 69.44 Intersect the West Boundary 121 links North of
 the post cor. of sec. 24 + 25. T. No. 7. N. R. 3rd M. and set a
 post for the cor. of sec. 19 + 30 from which,
 Sugar. 9 in dia. bears S 69 E. 20 links dist; or,
 Elm. 5 " " N 32 E. 30 " "
 Same the same.

West Return Dec. 18 + 19 T. No. 7. N. R. 3rd M.
 40.00 Set a new post from which,
 Sugar 15 in dia. bears N 63 W. 7 links dist; or,
 Buck 50 " " N 84 W. 9 " "
 67.00 To a Spring, corner S. W.

I certify that the foregoing transcript of the
 field notes of Township No. 7 North of Range
 No. 2 West 2nd Principal Meridian, in Ind.
 has been compared with the original notes in this
 office and found to be correct.

Surveyor General's Office,
 Cincinnati, Nov. 16, 1841

Sur. General

70.54 Set a post on the West Boundary 60 links South

T. No. 7. N. R. No. 3rd M. 2nd Mer. Ind.

of the post cor. of sec. 13 + 24 T. No. 7. N. R. No. 3rd M. set a
 post for the cor. of sec. 18 + 19 from which,
 Buck 35 in dia. bears N 26 E. 4 links dist; or,
 Buck 12 " " S 28 W. 30 " "
 Same the same.

West Return Dec. 7 + 18 T. No. 7. N. R. 2nd M.
 40.00 Set a new post from which,
 Buck 8 in dia. bears N 41 W. 14 links dist; or,
 Ho. 5 " " S 60 E. 17 " "
 61.20 To a Sugar, 15 in dia. in the vine.
 70.73 A Sugar, 12 in dia. stands 53 links South of the post
 cor. of sec. 12 + 13. T. No. 7. N. R. 3rd M. for the cor. of sec.
 7 + 18. Same the same.

Surveyed by
 Arthur Henric.
 Dep^y Sur.

Comp.

I certify that the foregoing transcript of the field
 notes of Township No. 7 North of Range No. 2 West
 of the 2nd Principal Meridian in Indiana has been
 compared with the original notes in this office & found
 to be correct.

Surveyor General's Office,
 Cincinnati, Nov. 16, 1841

Sur. General.